UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/568,498	02/16/2006	Hanne Thorsoe	BJS-550-730	3495
23117 NIXON & VAN	7590 08/18/201 NDERHYE, PC	EXAMINER		
901 NORTH G	LEBE ROAD, 11TH F	BADR, HAMID R		
ARLINGTON, VA 22203			ART UNIT	PAPER NUMBER
			1781	
			MAIL DATE	DELIVERY MODE
			08/18/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/568,498	THORSOE ET AL.				
Office Action Summary	Examiner	Art Unit				
	HAMID R. BADR	1781				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 6(a). In no event, however, may a reply be timil apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	l. lely filed the mailing date of this communication. (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on <i>RCE</i> ,	8/5/2010					
,— · · · · · · · · · · · · · · · · · · ·	action is non-final.					
<i>7</i> =	,—					
·— · · ·	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims	x parte quayre, 1000 C.D. 11, 10	0 0.0.210.				
·						
4) Claim(s) <u>53,57-73,81-90,92 and 96-104</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>3,57-73,81-90,92 and 96-104</u> is/are rejected.						
7) Claim(s) is/are objected to.	-14:					
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9)☐ The specification is objected to by the Examiner	·.					
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11)☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 	s have been received.					
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau						
* See the attached detailed Office action for a list of	of the certified copies not receive	d.				
Attachment(s)	,, 					
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) ∐ Interview Summary Paper No(s)/Mail Da					
3) Information Disclosure Statement(s) (PTO/SB/08) Tupor Notice of Informal Patent Application						
Paper No(s)/Mail Date 6) Other:						

Application/Control Number: 10/568,498 Page 2

Art Unit: 1781

DETAILED ACTION

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 8/5/2010 has been entered.

Claims 53, 57-73, 81-90, 92, and 96-104 are being considered on the merits.

Claim Rejections - 35 USC § 112

- The following is a quotation of the second paragraph of 35 U.S.C. 112:
 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 3. Claims 53, 57-73, 81-90, 92, and 96-102 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- 4. Claim 53 is indefinite for "a milk protein". Since milk comprises a variety of proteins with different characteristics whose interactions with pectins are different at various pHs, it is not clear what type of milk proteins the food material comprises.

 Therefore, the scope of claim 53 is not clear.

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 1781

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

- 2. Claims 53, 57-73, 81-90, 92, and 96-104 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tamime et al. (1985, Yoghurt; Science and Technology; hereinafter R1) in view Reddy et al. (WO 98/18349; on record, hereinafter R2) and Takahashi (EP 1 206 909; hereinafter R3).
- 3. R1 discloses processes for the production of fermented milks including yogurt, yogurt beverage, stirred yogurt, pasteurized yogurt, flavored yogurt, and yogurt beverage and drinking yogurt. The overall process is discussed on page 236 where the milk is standardized for fat content, the milk solids are fortified to 14-16% and sugar and or stabilizers are added. Given that the stabilizer is added to the intermediate before the fermentation stage, the requirement for adding the stabilizer prior to fermentation as presently claimed (claim 103) is met.
- 4. The yogurt base mixture is pre-warmed (50-60C), homogenized and heat treated (pasteurized) at 85C for 30 minutes, 90-95C for 5-10 minutes, or 120C for 3-5 seconds. The milk is cooled to incubation temperature. The incubation can be carried out at 42-45C (short incubation time, 2.5-3 hours, page 103, outline of the process, line 6) or at 30C (long incubation time, overnight or around 18 hours or until the desired acidity is reached, page 60, Fermentation Process). The mixture is then inoculated with starter culture (*Streptococcus thermophilus* and *Lactobacillus bulgaricus*; page 60, Fermentation Process). The yogurt product can be prepared as set yogurt or stirred

Art Unit: 1781

yogurt. The stirred yogurt may be mixed with fruits or synthetic flavor. The set yogurt may contain fruits (page 236, Fig. 5.1).

- 5. R1 teaches that the yogurt may be pasteurized for producing long life yogurt.

 Table 5.1 on page 237 gives multiple methods for the heat treatment of prepared yogurt.
- 6. R1 teaches of a process for the preparation of drinking yogurt (page 241-243). R1 discloses that in order to overcome the problem of whey separation, it is necessary to incorporate a stabilizer into the basic mix. A typical composition of a drinking yogurt may contain 0.27% stabilizer (page 242, bottom of page, the chemical composition).
- 7. R1 discloses that the drinking yogurt is heat treated i.e. pasteurized in order to prolong its keeping quality. (page 242, last line).
- 8. R1 teaches of fortification of milk solids. Different types of milk powder can be used to fortify the yogurt milk. Skim milk powder is used most widely. The dried ingredients are incorporated into the aqueous phase which could be whole milk, skim milk or water (page 111, (b) Addition of milk powder). Other types of protein forms e.g. casein powder (isolated protein) can be added to the yogurt base. (page 18, addition of casein powder).
- 9. R1 discloses the type of stabilizers which can be used in yogurt. Among the stabilizers/emulsifiers pectins (High molecular weight, HE), low methoxy pectins (High molecular weight, LE), soy protein (vegetable protein) can be used (page 25-26, Table 2.9).

Art Unit: 1781

10. While R1 clearly teaches of using pectins (HE) and low methoxy pectins (LE) as stabilizers in the yogurt products, it is silent regarding the use of depolymerized (low molecular weight or hydrolyzed pectins) in yogurt products. R1 is silent regarding the incorporation of depolymerized pectin in milk before pasteurizing the intermediate prior to the onset of fermentation.

- 11. R2 discloses the incorporation of hydrolyzed pectin (depolymerized pectin) into milk and pasteurizing the milk containing hydrolyzed pectin. The foodstuff may be a milk beverage or beverages containing juice. The complex added to the milk consists of calcium and a hydrolyzed polysaccharide alone or together with an acid. (page 2, lines 1-10)
- 12. R2 gives the details of the hydrolysis of the polysaccharides including pectin. (page 2, lines 14-22)
- 13. The amount of complex to be added to milk is disclosed to be 0.05 to 5% based on the weight of the foodstuff. (page 3, lines 14-16)
- 14. R3 discloses a process in which calcium chloride and hydrolyzed pectin are mixed and added to skim milk. The milk is then homogenized and pasteurized resulting in a milk product which is stable, without sediment and of good flavor after 7 weeks of storage. (page 3, Example 1 to page 4, lines 1-4).
- 15. R3 also prepares a milk product containing pectin hydrolysate (depolymerized pectin), calcium and acid. The mixture is homogenized and pasteurized resulting in a stable product without sedimentation and of good flavor after 7 weeks. (Page 4, Example 2)

Art Unit: 1781

16. Given that the hydrolyzed pectin added to milk does not cause incompatibility, evidenced by the stable milk product after 7 weeks of storage, even after pasteurization in the presence or absence of an acid, it is clear that the problem of incompatibility of high molecular weight pectin and milk, specifically when heat treated, is solved by using hydrolyzed pectin. However, while an artificial acidification is being practiced by R2, since the milk containing the hydrolyzed pectin is stable after pasteurization, it can be inoculated with common starter cultures and the acidification can be brought about biologically through fermentation as presently claimed. The stable milk product will remain stable even after the gradual acidification caused by fermentation.

- 17. R2 is silent regarding the viscosities of the various hydrolyzed pectin products as presently claimed.
- 18. R3 discloses stabilizers for acidic foods containing proteins. These stabilizers are pectins having low molecular weight (i.e. depolymerized pectins) and a viscosity of no more that 150 m.Pa.s (Abstract).
- 19. R3 teaches of incorporating low molecular weight pectins into acidic foods at greater than 0.4% by weight. The low molecular pectins have a viscosity of no greater than 150 mPa.s at 5% solution at 25C. [0011]. This is equivalent to 150 cP. The low molecular pectin preferably shows a viscosity of 20-90 mPa.s (20-90 cP) for a 5% solution at 25C [0021]. The upper limit for usage of the low molecular pectin is 5% [0023]
- 20. R3 discloses that a high methoxy pectin of at least 50% esterification (DE) is suitable when used as low molecular weight pectin. [0014].

Art Unit: 1781

21. R3 discloses that proteins in acidic milk beverages such as liquid yogurt, lactic acid bacteria beverages, fruit milk and the like are highly unstable at pH 3.8-5.3 [002]. The acidic foods which can take advantage of stabilizing effects of low molecular pectins are foods containing animal or vegetable proteins and include acidic protein beverages prepared by adding citrus juices or other juices, organic acids such as citric

and lactic, inorganic acids, beverages containing soybean milk etc. [0025].

- 22. R3 uses a pectin with a DE of 71% for the preparation of low molecular weight pectin. [0027]. It is noted that pectins are usually used in the from of powder as presently claimed. It is obvious that either High esterified pectin (HE, DE >50%) or low esterified pectin (LE, DE<50%) can be depolymerized as disclosed by R3. It is also obvious that depending on the desired viscosity, texture and taste of the various fermented products, depolymerized pectin, HE depolymerized pectin, LE depolymerized pectin and combinations thereof can be used as taught by R1. It is noted that optimization of process conditions and the type of depolymerized pectins used in various product will depend on the product, the pH of the product, concentration of calcium and magnesium ions, desired texture, taste and viscosity of the products. Therefore, using depolymerized pectins in yogurt products was known in the art for the very purpose of stabilizing milk proteins. Manipulation of the yogurt formulations for pH, calcium ion concentration, viscosity etc. would be well within the skill of the art.
- 23. It is noted that amidated pectins can be prepared by reaction of ammonia and pectins. Therefore, depending on the process by which the pectin is de-esterified, amidated pectins may be resulted when ammonia is used as the de-esterification agent.

Application/Control Number: 10/568,498 Page 8

Art Unit: 1781

This means that a regular high molecular weight pectin may have amide groups (reaction of galacturonic acid and ammonia). Depolymerizing such a pectin will yield amidated depolymerized (low-ester, low molecular weight) pectins which can be used as presently claimed. Amidation together with depolymerization process will further improve the solubility of pectins at lower temperatures involved in the storage of yogurt products.

24. It would have been obvious to one of ordinary skill in the art, at the time the invention was made, to modify the teachings of R1 and incorporate hydrolyzed pectins as stabilizers in the base mix, pasteurize the mix, and cool the base mixture as disclosed by R2, inoculate and ferment the base mixture to acidify the mixture as disclosed by R1. The preparation of various depolymerized pectins can be carried out as taught by R3. One would use the depolymerized pectins as stabilizers in fermented milk products to overcome the incompatibility problems caused by high molecular weight pectins at milk pH around 7.0. Absent any evidence to contrary and based on the teachings of the combined references, there would be a reasonable expectation of success in preparing a fermented milk product containing depolymerized pectins which have been incorporated in milk before the fermentation of milk.

Response to Arguments

Applicants arguments have been reviewed. However, in light of the new grounds of rejection set forth in this Office action, those arguments are moot.

Application/Control Number: 10/568,498 Page 9

Art Unit: 1781

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to HAMID R. BADR whose telephone number is (571)270-3455. The examiner can normally be reached on M-F, 8:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Keith Hendricks can be reached on (571) 272-1401. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Hamid R. Badr Examiner Art Unit 1781

/Keith D. Hendricks/

Supervisory Patent Examiner, Art Unit 1781